



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

City Reports for Week Ended Oct. 21, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.....	1	New York, N. Y.....	2	2
Bridgeport, Conn.....	1	1	Orange, N. J.....	1
Buffalo, N. Y.....	1	Providence, R. I.....	1
Chicago, Ill.....	2	St. Louis, Mo.....	2
Cleveland, Ohio.....	1	St. Paul, Minn.....	1
Clinton, Mass.....	1			

DIPHTHERIA.

Georgia—Rome—Cave Spring.

Asst. Surg. Slaughter reported November 6 that 6 clinical cases of diphtheria were reported in Rome, Ga., during the week ending November 4, making a total of 24 clinical cases with 1 death. The clinical cases are in quarantine. Out of 350 high school pupils examined bacteriologically 12 per cent were found to be carriers. The high school was reopened with carriers excluded. The attendance of children at public gatherings is being discouraged.

He also reported that no clinical cases of diphtheria developed at the Georgia School for Deaf, Cave Spring, Ga., during the week ending November 4, 1916. Twelve clinical cases have been reported in the institution during preceding weeks. There were 106 carriers reported which are in isolation as well as the clinical cases. The institution is still under quarantine.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 3132.

ERYSIPELAS.

City Reports for Week Ended Oct. 21, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Buffalo, N. Y.	5	2	Milwaukee, Wis.	2	1
Chicago, Ill.	13	1	New York, N. Y.		1
Cincinnati, Ohio.	2		Oklahoma, Okla.	1	
Cleveland, Ohio.	1		Omaha, Nebr.	1	
Denver, Colo.	1		Philadelphia, Pa.	2	
Detroit, Mich.	4		Pittsburgh, Pa.	4	
Seattle, Wash.	1		Sacramento, Cal.	2	
Flint, Mich.	1		St. Louis, Mo.	6	
Jackson, Mich.	1		St. Paul, Minn.	1	
Jersey City, N. J.		2	San Francisco, Cal.	1	
Kalamazoo, Mich.	1		Topeka, Kans.	1	
Los Angeles, Cal.	1		Woburn, Mass.		1

LEPROSY.

Wisconsin—Milwaukee.

Senior Surg. Banks reported a case of leprosy in Milwaukee, Wis., November 2, 1916. The patient is a Greek, aged 22 years; was born in Turkey and came to the United States six years ago. He developed the first symptoms of the disease nearly a year ago.

MALARIA.

City Reports for Week Ended Oct. 21, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.		1	New Orleans, La.	11	
Birmingham, Ala.	1		New York, N. Y.		1
Cairo, Ill.		1	Norfolk, Va.	1	1
Fall River, Mass.	2		Philadelphia, Pa.	1	
Hartford, Conn.	3		Providence, R. I.		1
Long Beach, Cal.	1		Richmond, Va.	1	
Mobile, Ala.		1			

MEASLES.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 3132.

PELLAGRA.

City Reports for Week Ended Oct. 21, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.	1		New York, N. Y.		1
Charleston, S. C.		1	Richmond, Va.		1
Mobile, Ala.		1	Washington, D. C.	1	
New Orleans, La.	1	1	Wilmington, N. C.	3	1

PNEUMONIA.

City Reports for Week Ended Oct. 21, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Beaver Falls, Pa.	1	2	New Castle, Pa.	2	1
Binghamton, N. Y.	5	42	Norfolk, Va.	1	1
Chicago, Ill.	144	9	Pawtucket, R. I.	1	15
Cleveland, Ohio	20	9	Philadelphia, Pa.	24	13
Detroit, Mich.	5	1	Pittsburgh, Pa.	18	2
Grand Rapids, Mich.	1	1	Rochester, N. Y.	6	6
Jackson, Mich.	1	1	San Francisco, Cal.	5	1
Kalamazoo, Mich.	6	6	San Jose, Cal.	1	1
Kansas City, Mo.	4	2	Schenectady, N. Y.	2	1
Los Angeles, Cal.	1	2	Springfield, Ohio	1	1
McKeesport, Pa.	2	1	York, Pa.	1	1

POLIOMYELITIS (INFANTILE PARALYSIS).

Cases Reported by States.

The following tabular statement shows the number of cases of poliomyelitis reported to the United States Public Health Service by State health authorities during the periods shown:

	Total cases reported.		Total cases reported.
Alabama:		Florida:	
July 1 to 31.....	77	July 1 to 31.....	4
Aug. 1 to 31.....	62	Aug. 1 to 31.....	3
Sept. 1 to 25.....	12	Sept. 1 to 25.....	1
	151		8
Arizona:		Georgia.....	(²)
July 1 to 31.....	2		
Aug. 1 to 31.....	2	Idaho:	
Sept. 1 to 25.....	2	Aug. 1 to 31.....	4
	6	Sept. 1 to 30.....	3
Arkansas:		Oct. 1 to 7.....	2
July 1 to 31.....	5		9
Aug. 1 to 31.....	1	Illinois:	
Sept. 1 to 25.....	0	July 1 to 31.....	76
	6	Aug. 1 to 31.....	339
California:		Sept. 1 to 30.....	257
July 1 to 31.....	12	Oct. 1 to Nov. 4.....	133
Aug. 1 to 31.....	18		805
Sept. 1 to 30.....	13	Indiana:	
Oct. 1 to 28.....	19	July 1 to 31.....	27
	62	Aug. 1 to 31.....	38
Colorado:		Sept. 1 to 30.....	67
July 1 to 31.....	1	Oct. 1 to Nov. 4.....	45
Aug. 1 to 31.....	2		177
Sept. 1 to 30.....	4	Iowa:	
Oct. 1 to Nov. 4.....	5	July 1 to 31.....	30
	12	Aug. 1 to 31.....	82
Connecticut:		Sept. 1 to 30.....	66
July 1 to 31.....	165	Oct. 1 to Nov. 4.....	34
Aug. 1 to 31.....	367		212
Sept. 1 to 30.....	274	Kansas:	
Oct. 1 to 31.....	65	July 1 to 31.....	14
Nov. 1 to 4.....	10	Aug. 1 to 31.....	31
	881	Sept. 1 to 30.....	19
Delaware:		Oct. 1 to Nov. 4.....	23
July 1 to 31.....	1		87
Aug. 1 to 31.....	11	Kentucky:	
Sept. 1 to 30.....	36	July 1 to 31.....	15
Oct. 1 to Nov. 2.....	24	Aug. 1 to 31.....	19
	72	Sept. 1 to 28.....	1
District of Columbia:			35
July 1 to 31.....	8	Louisiana:	
Aug. 1 to 31.....	18	July 1 to 31.....	19
Sept. 1 to 30.....	6	Aug. 1 to 31.....	6
Oct. 1 to 31.....	14	Sept. 1 to 30.....	5
	36	Oct. 1 to Nov. 4.....	3
			33

¹ Corrected figures. Later report than figures previously published.

² Disease present, but the number of cases is not known.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

Cases Reported by States—Continued.

	Total cases reported.		Total cases reported.
Maine:		New York (exclusive of New York City):	
July 1 to 31.....	0	July 1 to 31.....	517
Aug. 1 to 31.....	26	Aug. 1 to 31.....	1,527
Sept. 1 to 30.....	46	Sept. 1 to 30.....	1,064
Oct. 1 to Nov. 4.....	42	Oct. 3 to 16.....	238
	114		3,346
Maryland:		North Carolina:	(²)
July 1 to 31.....	10		
Aug. 1 to 31.....	64	North Dakota:	
Sept. 1 to 30.....	100	July 1 to 31.....	0
Oct. 1 to 31.....	120	Aug. 1 to 31.....	2
Nov. 1 to 9.....	15	Sept. 1 to 30.....	16
	309		18
Massachusetts:		Ohio:	
July 1 to 31.....	107	July 1 to 31.....	94
Aug. 1 to 31.....	253	Aug. 1 to 31.....	168
Sept. 1 to 30.....	623	Sept. 1 to 30.....	138
Oct. 1 to 31.....	1704		400
Nov. 1 to 9.....	85		
	1,771	Oklahoma:	
Michigan:		July 1 to 31.....	12
July 1 to 31.....	51	Aug. 1 to 31.....	10
Aug. 1 to 31.....	163	Sept. 1 to 25.....	2
Sept. 1 to 30.....	166		24
Oct. 1 to 23.....	69	Oregon:	
	449	Sept. 1 to 30.....	3
Minnesota:		Oct. 1 to 31.....	128
July 1 to 31.....	142		31
Aug. 1 to 31.....	373	Pennsylvania:	
Sept. 1 to 30.....	186	July 1 to 31.....	107
Oct. 1 to 31.....	148	Aug. 1 to 31.....	711
	849	Sept. 1 to 30.....	743
Mississippi:		Oct. 8 to 28.....	229
July 1 to 31.....	57		1,790
Aug. 1 to 31.....	31	Rhode Island:	
Sept. 1 to 30.....	14	July 1 to 31.....	26
Oct. 1 to 14.....	3	Aug. 1 to 31.....	57
	105	Sept. 1 to 30.....	70
Missouri:		Oct. 1 to Nov. 4.....	53
July 1 to 31.....	4		206
Aug. 1 to 31.....	3	South Carolina:	
Sept. 1 to 25.....	4	July 1 to 31.....	20
	11	Aug. 1 to 31.....	58
Montana:		Sept. 1 to 30.....	24
July 1 to 31.....	11	Oct. 1 to 31.....	11
Aug. 1 to 31.....	28		113
Sept. 1 to 30.....	33	South Dakota:	
Oct. 1 to Nov. 4.....	10	July 1 to 31.....	5
	282	Aug. 1 to 31.....	19
Nebraska:		Sept. 1 to 25.....	14
July 1 to 31.....	1		38
Aug. 1 to 31.....	7	Tennessee:	
Sept. 1 to 28.....	6	July 1 to 31.....	18
	14	Aug. 1 to 31.....	21
Nevada:		Sept. 1 to 25.....	0
July 1 to Sept. 24.....	0		39
New Hampshire:		Texas:	
July 1 to 31.....	7	July 1 to 31.....	22
Aug. 1 to 31.....	16	Aug. 1 to 31.....	25
Sept. 1 to 30.....	31	Sept. 1 to 30.....	16
Oct. 1 to 19.....	3		63
	57	Utah:	
New Jersey:		Aug. 1 to 31.....	5
July 1 to 31.....	640	Vermont:	
Aug. 1 to 31.....	2,114	July 1 to 31.....	1
Sept. 1 to 30.....	957	Aug. 1 to 31.....	8
Oct. 1 to 31.....	269	Sept. 1 to 30.....	23
Nov. 1 to 4.....	3	Oct. 1 to 31.....	18
	3,983		50
New Mexico:			
July 1 to Sept. 25.....	0		

¹ Corrected figures. Later report than figures previously published.² Not including cases on Crow Reservation.³ Disease present, but the number of cases is not known.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Cases Reported by States—Continued.**

	Total cases reported.		Total cases reported.
Virginia:		West Virginia—Continued.	
July 1 to 31.....	24	Sept. 1 to 30.....	18
Aug. 1 to 31.....	44	Oct. 1 to Nov. 4.....	16
Sept. 1 to 30.....	164		
Oct. 1 to 21.....	22	Wisconsin:	49
Washington:	154	July 1 to 31.....	20
July 1 to 31.....	5	Aug. 1 to 31.....	173
Aug. 1 to 31.....	2	Sept. 1 to 30.....	158
Sept. 1 to 30.....	10		
Oct. 1 to Nov. 4.....	5	Wyoming:	351
West Virginia:	22	July 1 to 31.....	0
July 1 to 31.....	5	Aug. 1 to 31.....	1
Aug. 1 to 31.....	10	Sept. 1 to 30.....	3
			4

¹ Corrected figures. Later report than figures previously published.**City Reports—August 6 to November 4, 1916.**

The following table shows the number of cases of poliomyelitis reported to the United States Public Health Service by the health departments of the cities which reported five or more cases in any one week:

City.	Cases reported for week ended—												
	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.
Akron, Ohio.....			1	3	5	5	1						
Atlantic City, N. J.....	7	2	5	5		2	2						
Baltimore, Md.....	5	4	9	16	12	13	10	29	20	23	18	8	11
Bayonne, N. J.....	12	14	4	1	5	1							
Boston, Mass.....	8	4	8	13	22	38	55	52	77	54	53	36	
Bridgeport, Conn.....	6		3	3		7	2	2	3				
Brookline, Mass.....		1			1	2	1		1	5	5		1
Cambridge, Mass.....		2	2	1	2	5	4	5	11	6	11	4	
Camden, N. J.....	11	13	6	9	5	7	2	1	3				
Chicago, Ill.....	23	25	22	24	25	21	20	13	10	8	8	6	4
Cincinnati, Ohio.....	2	4	5	2	3	6	3	4	5	1	2	1	3
Cleveland, Ohio.....		1	2	5	2	3	1	1	2		1		1
Detroit, Mich.....	1		6	1	4	3	3	11	3	1	2		
East Orange, N. J.....	2	8	10	6	10	3	2	2					
Flint, Mich.....	3	3	8		4		4	2		2	1	4	
Grand Rapids, Mich.....		3	1	1	2	1	6	1		1	1	1	
Harrison, N. J.....	10	10	6										
Hartford, Conn.....			4	6	7	5	5	4	4		3	4	1
Haverhill, Mass.....		1	5		1		1	2				1	
Indianapolis, Ind.....					5	4	2	4	1		1		
Jersey City, N. J.....	22	27	16	22	9	6	8	11	2	5	2		
Kearny, N. J.....	7	4	5			3							
Long Branch, N. J.....	1	1	2	8		4	1	1					
Lynn, Mass.....			1	2	2	2	1	2	3	6	8		3
Malden, Mass.....		2				2	6	10	3	4	4	6	
Manchester, N. H.....				3	5	1	5						
Minneapolis, Minn.....	8	12	14	12	4	5		3		2	1	2	
Montclair, N. J.....	4	5	2	1	2	1		4	1	1	4	1	1
Newark, N. J.....	260	230	150	89	45	38	30	12	17	9		1	
Newburyport, Mass.....			1	2	5	1	7	2	1	3			
New York, N. Y.....	1,151	865	707	441	352	252	156	142	96	72	43	37	19
North Adams, Mass.....			5	2	2	1	4	1					
Northampton, Mass.....		5	2	1	1		1		1	1	4	1	1
Orange, N. J.....	9	8	10	15	4	1	2	1					
Perth Amboy, N. J.....	4	2	3	1	3	2							
Philadelphia, Pa.....	86	106	132	120	125	85	70	47	59	27	26	24	7
Pittsburgh, Pa.....	5	1	3	5	5	2	1	1	1	1	1	1	
Pittsfield, Mass.....	1	2	7	2	10	8	6	4	4	5	8	4	
Plainfield, N. J.....	2	6	10	1	6	4	2	3	1	3			
Portland, Oreg.....						1	1	1	3	4	5	1	

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.
City Reports—August 6 to November 4, 1916—Continued.

City.	Cases reported for week ended—												
	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.
Providence, R. I.....	4	3	2	10	7	10	17	9	9	7	3	9	8
Quincy, Mass.....						4	5	4					
St. Louis, Mo.....			5	2									
St. Paul, Minn.....	6	9	6	1	2	7	2	3	2	4		1	
Somerville, Mass.....					2	1	7	1		3		5	3
Springfield, Mass.....	2		5	5	9	12	8	9	5	3	4	2	3
Syracuse, N. Y.....	3	23	34	33	49	29	20	12	11	5		4	
Toledo, Ohio.....	16	10	10	7	11	1	2	3	1	2	1	1	1
Trenton, N. J.....	4	7	11	7	11	14	23	34	20	8	12	4	1
Waltham, Mass.....						2			8	2	9	2	2
Washington, D. C.....	3	5	7	2	4		1	1	14				
West Hoboken, N. J.....	9	3	7										
Wilmington, Del.....			3	3	3	2	3	8	7	6	3	5	1

¹ Corrected figures. Later report than figures previously published.

New York City.

Surg. Lavinder reported that cases of poliomyelitis had been notified in New York City as follows: November 1, 2 cases; November 2, 2 cases; November 3, 5 cases; November 4, 2 cases; November 5, 2 cases; November 6, no case; November 7, 6 cases.

Washington Report for September, 1916.

Place.	New cases reported.	Place.	New cases reported.
Washington:		Washington—Continued.	
King County—		Thurston County.....	1
Seattle.....	6	Yakima County.....	1
Stevens County.....	1	Total.....	10
Spokane County.....	1		

City Reports for Week Ended Oct. 21, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Auburn, N. Y.....	1	1	Montclair, N. J.....	4	
Baltimore, Md.....	18	3	New York, N. Y.....	43	23
Boston, Mass.....	53	21	Norristown, Pa.....	1	
Brookline, Mass.....	5	1	Northampton, Mass.....	4	
Cambridge, Mass.....	11		Oklahoma, Okla.....	1	
Chicago, Ill.....	8		Omaha, Nebr.....	2	
Chicopee, Mass.....	1		Philadelphia, Pa.....	26	10
Cincinnati, Ohio.....	2		Pittsburgh, Pa.....	1	2
Cleveland, Ohio.....	1		Pittsfield, Mass.....	8	1
Concord, N. H.....	1	1	Portland, Me.....	1	
Denver, Colo.....	1		Portland, Oreg.....	5	
Detroit, Mich.....	2		Providence, R. I.....	3	1
Evansville, Ind.....	1		Quincy, Mass.....		2
Everett, Mass.....	4		Reading, Pa.....	1	
Flint, Mich.....	1	1	Richmond, Va.....	3	
Grand Rapids, Mich.....	1		Rochester, N. Y.....	1	
Hagerstown, Md.....	1		Saginaw, Mich.....	1	
Hartford, Conn.....	3	1	St. Paul, Minn.....	1	
Indianapolis, Ind.....	1		San Francisco, Cal.....	3	1
Jersey City, N. J.....	2	2	Seattle, Wash.....	1	
Kalamazoo, Mich.....	1		Somerville, Mass.....	4	1
Kenosha, Wis.....	1		South Bend, Ind.....	1	
Lancaster, Pa.....	1		Springfield, Mass.....	4	1
Lowell, Mass.....	1		Toledo, Ohio.....	12	
Lynchburg, Va.....	1		Trenton, N. J.....		5
Lynn, Mass.....	8	3	Troy, N. Y.....	1	
Malden, Mass.....	4	1	Waltham, Mass.....	9	
Medford, Mass.....	1	1	Wilmington, Del.....	3	1
Milwaukee, Wis.....	1		Worcester, Mass.....	1	
Minneapolis, Minn.....	1				

RABIES IN ANIMALS.**City Reports for Week Ended Oct. 21, 1916.**

During the week ended October 21, 1916, three cases of rabies in animals were reported in Buffalo, N. Y. and one case in Detroit, Mich.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 3132.

SMALLPOX.**Arkansas—Manila.**

The State health officer of Arkansas reported November 6, 1916, that 15 cases of smallpox had been notified at Manila, Ark.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended November 4, 1916, three new foci of smallpox infection were reported in Minnesota, one case having been notified in the village of Foreston, Mille Lacs County, one in the city of Fergus Falls, Ottertail County, and one in Big Lake village, Sherburne County.

Miscellaneous State Reports.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Washington (Sept. 1 to 30):			Washington (Sept. 1 to 30)—		
Benton County.....	1	Continued.		
Columbia County.....	1	Spokane County—		
King County—			Spokane.....	8
Seattle.....	6	Whatcom County—		
Kittitas County.....	2	Bellingham.....	1
Klickitat County.....	3	Whitman County.....	1
Skagit County.....	1	Total.....	24

City Reports for Week Ended Oct. 21, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Cleveland, Ohio.....	35	New Orleans, La.....	2
Denver, Colo.....	1	Portland, Oreg.....	1
Detroit, Mich.....	3	Toledo, Ohio.....	6
Duluth, Minn.....	1	Topeka, Kans.....	1

TETANUS.**Illinois—Cumberland County.**

Asst. Surg. Witte reported November 2, 1916, that a fatal case of tetanus was notified in Cottonwood Township, Cumberland County, Ill.

City Reports for Week Ended Oct. 21, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Chicago, Ill.....	2	2	Nanticoke, Pa.....	1
Cincinnati, Ohio.....	1	1	New York, N. Y.....		1
Lawrence, Mass.....	1	Providence, R. I.....		1
Los Angeles, Cal.....	1	1	Toledo, Ohio.....		1

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 3132.

TYPHOID FEVER.

Washington Report for September, 1916.

Place.	New cases reported.	Place.	New cases reported.
Washington:		Washington—Continued.	
Benton County.....	6	Mason County.....	1
Chelan County.....	1	Okanogan County.....	1
Clallam County.....	1	Pacific County.....	3
Clarke County.....	2	Pierce County.....	1
Columbia County.....	3	Tacoma.....	2
Ferry County.....	1	Skagit County.....	10
Garfield County.....	2	Spokane County.....	1
Grant County.....	3	Spokane.....	1
Island County.....	2	Stevens County.....	5
King County—		Whatcom County—	
Seattle.....	9	Bellingham.....	4
Kittitas County.....	4	Whitman County.....	1
Klickitat County.....	1	Yakima County.....	19
Lewis County.....	1		
Lincoln County.....	2	Total.....	87

City Reports for Week Ended Oct. 21, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Arbor, Mich.....	1	Lima, Ohio.....	4
Atlantic City, N. J.....	2	Little Rock, Ark.....	2
Baltimore, Md.....	26	4	Los Angeles, Cal.....	1
Bayonne, N. J.....	1	Lynchburg, Va.....	6
Birmingham, Ala.....	10	1	Lynn, Mass.....	5
Boston, Mass.....	7	3	McKeesport, Pa.....	5	1
Brookline, Mass.....	1	Malden, Mass.....	1
Buffalo, N. Y.....	4	3	Manchester, N. H.....	1
Butte, Mont.....	3	1	Marinette, Wis.....	1
Cambridge, Mass.....	1	Milwaukee, Wis.....	3	1
Canton, Ohio.....	4	Minneapolis, Minn.....	4
Charleston, S. C.....	2	1	Mobile, Ala.....	1
Chelsea, Mass.....	2	Nashville, Tenn.....	3
Chicago, Ill.....	32	4	New Bedford, Mass.....	3
Cincinnati, Ohio.....	7	1	New Castle, Pa.....	4
Cleveland, Ohio.....	8	1	New Haven, Conn.....	4
Coffeyville, Kans.....	1	New Orleans, La.....	30	5
Columbus, Ohio.....	5	1	Newport, Ky.....	1	1
Covington, Ky.....	1	New York, N. Y.....	46	3
Cumberland, Md.....	4	Norfolk, Va.....	3
Danville, Ill.....	2	Norristown, Pa.....	2
Denver, Colo.....	3	Northampton, Mass.....	1
Detroit, Mich.....	13	1	Ogden, Utah.....	1
Duluth, Minn.....	1	Omaha, Nebr.....	1	1
Elgin, Ill.....	4	Pawtucket, R. I.....	1
El Paso, Tex.....	1	Philadelphia, Pa.....	14	4
Erie, Pa.....	3	Pittsburgh, Pa.....	3	1
Evansville, Ind.....	1	Portland, Ore.....	3
Everett, Mass.....	1	Portsmouth, Va.....	1
Fall River, Mass.....	8	Providence, R. I.....	1
Flint, Mich.....	5	Racine, Wis.....	1
Fort Worth, Tex.....	1	Reading, Pa.....	7
Grand Rapids, Mich.....	2	Richmond, Va.....	3
Hagerstown, Md.....	6	Roanoke, Va.....	2	1
Harrisburg, Pa.....	31	6	Rochester, N. Y.....	5
Hartford, Conn.....	4	Saginaw, Mich.....	1
Indianapolis, Ind.....	10	St. Joseph, Mo.....	1
Jersey City, N. J.....	3	4	St. Louis, Mo.....	8	1
Johnstown, Pa.....	1	Salt Lake City, Utah.....	7
Kalamazoo, Mich.....	2	San Francisco, Cal.....	3
Kansas City, Mo.....	4	2	San Jose, Cal.....	1
Kearny, N. J.....	1	Schenectady, N. Y.....	1
Knoxville, Tenn.....	4	Springfield, Mass.....	1
Kokomo, Ind.....	1	Springfield, Ohio.....	1	1
Lancaster, Pa.....	1	Steelton, Pa.....	8
Lexington, Ky.....	5	Superior, Wis.....	2

TYPHOID FEVER—Continued.**City Reports for Week Ended Oct. 21, 1916—Continued.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Toledo, Ohio.....	14	2	Williamsport, Pa.....	2
Topeka, Kans.....	12	2	Wilmington, Del.....	3
Trenton, N. J.....	3	Wilmington, N. C.....	1
Washington, D. C.....	6	1	Worcester, Mass.....	3	1
Watertown, N. Y.....	3	York, Pa.....	1
Wichita, Kans.....	2	Zanesville, Ohio.....	1
Wilkes-Barre, Pa.....	5			

TYPHUS FEVER.**Arizona—Bisbee.**

Acting Asst. Surg. McNeil reported October 30 that a case of typhus fever was notified in Bisbee, Ariz., on October 21. The patient came from the interior of Mexico about October 13, passed through the port of El Paso, Tex., and proceeded to Bisbee, Ariz.

California—Los Angeles.

Senior Surg. Brooks reported November 7, 1916, a case of typhus fever at Emergency Hospital, Los Angeles, Cal., in a railroad laborer who recently came from Mexico. He was removed to the county hospital for isolation.

Texas—El Paso.

Acting Asst. Surg. Tappan reported that during the week ended October 28, 1916, 4 cases of typhus fever were notified at El Paso, Tex., making a total of 22 cases since July 1.

City Reports for Week Ended Oct. 21, 1916.

During the week ended October 21, 1916, one case of typhus fever was reported at El Paso, Tex., and two cases in New York, N. Y.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

Washington Report for September, 1916.

During the month of September, 1916, 23 cases of diphtheria, 166 cases of measles, and 39 cases of scarlet fever were reported in Washington.

City Reports for Week Ended Oct. 21, 1916.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.	584,605	178	2	4	1	2	2	33	22	
Boston, Mass.	745,139	41	2	3	2	19	43	17		
Chicago, Ill.	2,447,045	588	198	17	25	73	193	56		
Cleveland, Ohio.	656,975	85	4	1	7	39	14			
Detroit, Mich.	554,717	198	113	4	1	36	1	19	18	
New York, N. Y.	5,468,190	1,289	128	9	15	38	1	274	160	
Philadelphia, Pa.	1,683,664	479	61	7	7	12	113	58		
Pittsburgh, Pa.	571,984	151	38	6	9	17	1	21	11	
St. Louis, Mo.	745,988	187	86	2	6	15	1	34	20	
From 300,000 to 500,000 inhabit- ants:										
Buffalo, N. Y.	461,335	143	9	2	2	14	32	13		
Cincinnati, Ohio.	406,706	119	37	4	1	12	17	16		
Jersey City, N. J.	300,133	88	10	2	1	5	16	7		
Los Angeles, Cal.	465,367	89	3	2	2	4	60	12		
Milwaukee, Wis.	428,062	109	24	1	1	25	17	9		
Minneapolis, Minn.	353,460	33	3	1	1	14	18	20		
New Orleans, La.	366,484	15	15	36	1	1	69	20		
San Francisco, Cal.	416,912	122	16	2	8	13	7	5		
Seattle, Wash.	330,834	43	10	10	2	2	12	11		
Washington, D. C.	358,679	94	10	1	7	7	12	11		
From 200,000 to 300,000 inhabit- ants:										
Columbus, Ohio.	209,722	67	6	1	12	8	6	3		
Denver, Colo.	253,161	49	6	1	1	2	11			
Indianapolis, Ind.	265,578	19	19	3	8	8	20	6		
Kansas City, Mo.	289,879	70	18	2	2	2	9	2		
Portland, Oreg.	272,833	25	1	26	8	3	8	5		
Providence, R. I.	250,025	71	7	2	3	6	5	5		
Rochester, N. Y.	250,747	73	9	1	6	3	2			
St. Paul, Minn.	241,999	32	19	1	3	3	2			
From 100,000 to 200,000 inhabit- ants:										
Birmingham, Ala.	174,108	37	5	1	5	5	5	2		
Bridgeport, Conn.	118,434	27	1	1	5	3	7	3		
Cambridge, Mass.	111,669	25	6	1	2	9	6			
Fall River, Mass.	126,904	42	1	1	11	4	2			
Grand Rapids, Mich.	125,759	25	3	1	1	9	2			
Hartford, Conn.	108,969	26	4	1	1	1	1	5		
Lowell, Mass.	112,124	27	8	2	5	2	1	1		
Lynn, Mass.	100,316	27	3	1	13	5	5	3		
Nashville, Tenn.	115,978	35	11	1	1	1	2	5		
New Bedford, Mass.	114,694	28	2	2	2	8	2	2		
New Haven, Conn.	147,095	51	8	1	3	3	2	5		
Omaha, Nebr.	135,455	32	3	1	6	9	4			
Reading, Pa.	105,094	47	13	1	1	16	4	1		
Richmond, Va.	154,674	33	1	1	117	7	4	1		
Salt Lake City, Utah.	113,567	31	10	1	71	1	1	5		
Springfield, Mass.	103,216	32	5	1	6	4	2			
Syracuse, N. Y.	152,534	21	2	1	10	1	2	1		
Tacoma, Wash.	108,094	66	4	1	10	1	2	1		
Toledo, Ohio.	187,840	39	1	1	8	9	1			
Trenton, N. J.	109,212	44	10	1	8	9	1			
Worcester, Mass.	160,523	44	10	1	8	9	1			

¹ Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Con.

City Reports for Week Ended Oct. 21, 1916—Continued.

City.	Popula- tion as of July 1, 1914 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtharia.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabitants:										
Atlantic City, N. J.	55,806		2		1		1		1	
Bayonne, N. J.	67,582		1						3	
Berkeley, Cal.	54,879	9					2		1	
Binghamton, N. Y.	53,082	26	8	1			3			1
Canton, Ohio.	59,139		1	1			4			
Charleston, S. C.	60,427	21	1	1			2			2
Covington, Ky.	56,520	12	1				4			
Duluth, Minn.	91,913		1						2	
El Paso, Tex.	51,936	37	3				3			6
Erie, Pa.	73,798						1			25
Evansville, Ind.	72,125	18	12	1			3		4	
Flint, Mich.	52,159	13	5	1			2	1		
Fort Worth, Tex.	99,528	19					2			1
Harrisburg, Pa.	70,754	19	3		1				3	1
Hoboken, N. J.	76,104	14	3						2	
Johnstown, Pa.	66,585	18	3				5		3	2
Kansas City, Kans.	96,854		12				1		2	
Lancaster, Pa.	50,260						1			
Lawrence, Mass.	98,197	22	6						2	1
Little Rock, Ark.	55,158	18	2				1			
Malden, Mass.	50,067	11	7						3	3
Manchester, N. H.	76,959	23					1		2	2
Mobile, Ala.	56,536	19					1		1	4
Norfolk, Va.	88,076	30	2				2		1	1
Oklahoma, Okla.	88,158	13	2				1			
Passaic, N. J.	69,010	14	7				1		4	1
Pawtucket, R. I.	58,156	12	7				1		1	1
Portland, Me.	63,014	22	1		1		1		1	2
Rockford, Ill.	53,761	12	1				2			1
Sacramento, Cal.	64,806	19	1						6	2
Saginaw, Mich.	54,815	13	2				3			1
St. Joseph, Mo.	83,974	22	3	1					2	
San Diego, Cal.	51,115	23	3						2	
Schenectady, N. Y.	95,265	16	1		2		4		7	
Somerville, Mass.	85,460	20	2	1			1		3	3
South Bend, Ind.	67,030	10	1				1		1	2
Springfield, Ill.	59,468	12	12	2			3			2
Springfield, Ohio.	50,804	12							1	
Troy, N. Y.	77,738		5	1			1			2
Wichita, Kans.	67,847		3	1			1		3	2
Wilkes-Barre, Pa.	75,218	24	3				5		2	
Wilmington, Del.	93,161	38	2	1			1			
York, Pa.	50,543		4				1			
From 25,000 to 50,000 inhabitants:										
Alameda, Cal.	27,031	7	2				1		2	
Auburn, N. Y.	36,947	13					1		1	2
Austin, Tex.	34,016	9	3				2		1	1
Brookline, Mass.	31,934	10	1				2		3	
Butler, Pa.	26,587	7	3							
Butte, Mont.	42,918	27	4				1		17	4
Chelsea, Mass.	32,452	16	1						3	3
Chicopee, Mass.	28,688	7	1				1		1	1
Cumberland, Md.	25,564	6			1		1			
Danville, Ill.	31,554	7	1				1		1	1
Davenport, Iowa.	47,127		1				3			
East Orange, N. J.	41,155	7					1		2	
Elgin, Ill.	27,844	5								
Everett, Mass.	38,307	10	1						3	
Everett, Wash.	33,767	3								1
Fitchburg, Mass.	41,144	13	4		1					
Galveston, Tex.	41,076	10	1						1	1
Hagerstown, Md.	25,233		8		15					
Haverhill, Mass.	47,774	10	5				4		1	2
Jackson, Mich.	34,730	13	3				1		1	1
Kalamazoo, Mich.	47,364	23	1						1	1
Kenosha, Wis.	30,319	2	5				3			
Knoxville, Tenn.	38,300						2		3	
La Crosse, Wis.	31,522		4	2			1			

¹ Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Con.

City Reports for Week Ended Oct. 21, 1916—Continued.

City.	Popula- tion as of July 1, 1914 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabit- ants—Continued.										
Lexington, Ky.	39,703	14	11	1			7		1	2
Lima, Ohio	34,644	10								
Lincoln, Nebr.	46,028	13	1				3			
Long Beach, Cal.	26,012	3					1		1	
Lorain, Ohio.	35,662		4				4			
Lynchburg, Va.	32,385	8		1			2			
McKeesport, Pa.	46,743	9	7	1			1			
Medford, Mass.	25,737	8							1	1
Montclair, N. J.	25,550	6	1						2	
New Castle, Pa.	40,351		1		2					
Newport, Ky.	31,722	9	2						1	1
Newport, R. I.	29,631	13							2	1
Newton, Mass.	43,085	11	1							
Niagara Falls, N. Y.	36,240	14	9	3					2	1
Norristown, Pa.	30,833	8	3							
Ogden, Utah.	30,466	6	1		1		2			
Orange, N. J.	32,524	11					1			1
Pasadena, Cal.	43,859	8							4	
Perth Amboy, N. J.	39,725		4						1	
Pittsfield, Mass.	37,580	5								
Portsmouth, Va.	38,610	10	1				3			2
Quincy, Ill.	36,764	8	1				1			
Quincy, Mass.	37,251	8								
Racine, Wis.	45,507	8	1				1			
Roanoke, Va.	41,922	11	2				1			
San Jose, Cal.	37,994	6	1						1	2
Steubenville, Ohio.	26,631	9	4	1						
Stockton, Cal.	34,508	7	3		14		2			1
Superior, Wis.	45,285	9			1					1
Taunton, Mass.	35,957	19					1		3	3
Topeka, Kans.	47,914	8							2	1
Waltham, Mass.	30,129	4	5		1				1	
Watertown, N. Y.	29,384									
West Hoboken, N. J.	41,893	3	2							1
Wheeling, W. Va.	43,097	14	1				3		1	2
Williamsport, Pa.	33,495		5				3			
Wilmington, N. C.	28,264	9							1	1
Zanesville, Ohio.	30,406	10	2				1			1
From 10,000 to 25,000 inhabit- ants:										
Ann Arbor, Mich.	14,979	9							1	1
Beaver Falls, Pa.	13,316		2							
Braddock, Pa.	21,310	2								
Cairo, Ill.	15,593	6								
Clinton, Mass.	13,075	3								
Coffeyville, Kans.	16,765		1							
Concord, N. H.	22,480	10	2							1
Galesburg, Ill.	23,923	10								1
Harrison, N. J.	16,555		1							
Kearny, N. J.	22,753	8	2							
Kokomo, Ind.	20,312	10				21			3	1
Long Branch, N. J.	15,057	3								
Marinette, Wis.	14,610						1			
Morristown, N. J.	13,158	4	1				3			
Nanticoke, Pa.	22,441	8	3		1					
Newburyport, Mass.	15,195	5								
New London, Conn.	20,771	12								
North Adams, Mass.	22,019	7								2
Northampton, Mass.	19,846	5	2				3		2	3
Plainfield, N. J.	23,280	4	1							1
Portsmouth, N. H.	11,602				1					
Rutland, Vt.	14,624	7			1		2			
Sandusky, Ohio	20,160				11					
Saratoga Springs, N. Y.	12,842	5	14							
Steelton, Pa.	15,337	3			1				2	
Wilkinsburg, Pa.	22,361	8	1		3				1	
Woburn, Mass.	15,862	1								

¹ Population Apr. 15, 1910, no estimate made.